ELSEVIER

Clinical Neurophysiology 115 (2004) 2899–2912

www.elsevier.com/locate/clinph

Table of Contents

VOLUME 115 (2004)

Editorials

MEG: good enough
R.P. Lesser (USA) 995

The use of wavelets for auditory brain-stem analysis: advocacy and precautions
T.R.H. Cutmore (Australia) 998

TMS for ALS: why and why not
U. Ziemann, A. Eisen (Germany, Canada) 1237

Obituaries

Donald B. Lindsley, 95, Honorary Consulting Editor, *Clinical Neurophysiology*
R.A. Johnson, R.J. Ellingson, C.L. Wilson, V.R. Edgerton (USA) 1

Peter Kellaway Ph.D., 1920–2003
J.D. Frost Jr., R.A. Hrachovy, E.M. Mizrahi (USA) 729

Pierre Gloor, 1923–2003
J. Gotman (Canada) 1235

Fritz Buchthal, 96, Honorary Consulting Editor, *Clinical Neurophysiology*
A. Fuglsang-Frederiksen (Denmark) 1489

Invited Reviews

The neurophysiology of brain injury
M. Gaetz (USA) 4

The physiological basis of transcranial motor cortex stimulation in conscious humans
V. Di Lazzaro, A. Oliviero, F. Pilato, E. Saturno, M. Dileone, P. Mazzone, A. Insola, P.A. Tonali, J.C. Rothwell (Italy, Spain, UK) 255

Ultrasound of nerve and muscle
F.O. Walker, M.S. Cartwright, E.R. Wiesler, J. Caress (USA) 495

A review of the evidence for P2 being an independent component process: age, sleep and modality
K.E. Crowley, I.M. Colrain (USA, Australia) 732

Controversies in neurophysiology. MEG is superior to EEG in localization of interictal epileptiform activity: Pro
G.L. Barkley (USA) 1001

Controversies in clinical neurophysiology. MEG is superior to EEG in the localization of interictal epileptiform activity: Con
C. Baumgartner (Austria) 1010

Uncovering the mechanism(s) of action of deep brain stimulation: activation, inhibition, or both
C.C. McIntyre, M. Savasta, L.K.-L. Goff, J.L. Vitek (USA, France) 1239

EEG dynamics in patients with Alzheimer's disease
J. Jeong (South Korea) 1490

Evaluation of sudomotor function
P.A. Low (USA) 1506

TMS and drugs
U. Ziemann (Germany) 1717

The clinical neurophysiology of the restless legs syndrome and periodic limb movements. Part I: diagnosis, assessment, and characterization
W. Hening (USA) 1965

Why do restless legs occur at rest?—pathophysiology of neuronal structures in RLS. Neurophysiology of RLS (part 2)
C. Trenkwalder, W. Paulus (Germany) 1975

doi:10.1016/S1388-2457(04)00407-9

EEG source imaging
C.M. Michel, M.M. Murray, G. Lantz, S. Gonzalez, L. Spinelli, R.G. de Peralta (Switzerland) 2195
Selection of stimulus parameters for deep brain stimulation
A.M. Kuncel, W.M. Grill (USA) 2431
Magnetoneurography: theory and application to peripheral nerve disorders
B.-M. Mackert (Germany) 2667

Original Research Articles
Estimating cardiac autonomic activity during sleep: impedance cardiography, spectral analysis, and Poincaré plots
H.J. Burgess, P.D. Penev, R. Schneider, E. Van Cauter (USA) 19
Absence of gaze direction effects on EEG measures of sensorimotor function
C.W. Hesse, E. Seiss, R.M. Bracewell, P. Praamstra (UK) 29
Quantitative EEG and perfusional single photon emission computed tomography correlation during long-term donepezil therapy in Alzheimer's disease
G. Rodriguez, P. Vitali, M. Canfora, P. Calvini, N. Girtler, C. De Leo, A. Piccardo, F. Nobili (Italy) 39
Electrophysiological characterization of spontaneous and carbamazepine-induced epileptic negative myoclonus in benign childhood epilepsy with centro-temporal spikes
L. Parmeggiani, S. Seri, P. Bonanni, R. Guerrini (Italy) 50
Median nerve damage during two-portal endoscopic carpal tunnel release
S. Uchiyama, T. Yasutomi, T. Fukuzawa, H. Nakagawa, M. Kamimura, T. Miyasaka (Japan) 59
Inter-nerves and intra-nerve conduction heterogeneity in CMTX with Arg(15)Gln mutation
M. Capasso, A. Di Muzio, M. Ferrarini, M.V. De Angelis, C.M. Caporale, S. Lupo, T. Cavallaro, G.M. Fabrizi, A. Uncini (Italy) 64
Minimal tonic firing rates of human lateral pterygoid single motor units
I. Phanachet, T. Whittle, K. Wanigaratne, G.M. Murray (Australia) 71
Effects of experimental muscle pain on mechanical properties of single motor units in human masseter
M.K. Sohn, T. Graven-Nielsen, L. Arendt-Nielsen, P. Svensson (Denmark, South Korea) 76
Motor excitability in myopathy
J. Liepert, B.G.H. Schoser, C. Weiller (Germany) 85
Visual information processing in dyslexic children
P. Scheuerpflug, E. Plume, V. Vetter, G. Schulte-Koerne, W. Deimel, J. Bartling, H. Remschmidt, A. Warnke (Germany) 90
The physiological functional loss of single thenar motor units in the stroke patients: when does it occur? Does it progress?
Y. Hara, Y. Masakado, N. Chino (Japan) 97
Reduction in amplitude of the subcortical low- and high-frequency somatosensory evoked potentials during voluntary movement: an intracerebral recording study
A. Insola, D. Le Pera, D. Restuccia, P. Mazzone, M. Valeriani (Italy) 104
Direct recording of the output of the motor cortex produced by transcranial magnetic stimulation in a patient with cerebral cortex atrophy
V. Di Lazzaro, A. Oliviero, F. Pilato, E. Saturno, M. Dileone, M. Meglio, B. Cioni, C. Colosimo, P.A. Tonali, J.C. Rothwell (Italy, Spain, UK) 112
Reliability of a new measure of H-reflex excitability
A. Christie, S. Lester, D. LaPierre, D.A. Gabriel (Canada) 116
Alpha and beta oscillatory activity during a sequence of two movements
M. Alegre, I.G. de Gurtubay, A. Labarga, J. Iriarte, A. Malanda, J. Artieda (Spain) 124
EEG Biofeedback of low beta band components: frequency-specific effects on variables of attention and event-related brain potentials
T. Egner, J.H. Gruzelier (UK) 131
The mismatch negativity (MMN): towards the optimal paradigm
R. Näätänen, S. Pakarinen, T. Rinne, R. Takegata (Finland) 140
Functional lesions and human action monitoring: combining repetitive transcranial magnetic stimulation and event-related brain potentials
J.D. Rollnik, C. Schröder, A. Rodríguez-Fornells, A.R. Kurzbuch, J. Däuper, J. Möller, T.F. Münte (Germany, Spain) 145
Determination of cortical language dominance using functional transcranial Doppler sonography in left-handers
S. Basic, S. Hajnsek, Z. Poljakovic, M. Basic, V. Culic, I. Zadro (Croatia) 154
Human cortical responses during one-bit short-term memory. A high-resolution EEG study on delayed choice reaction time tasks
C. Babiloni, F. Babiloni, F. Carducci, S.F. Cappa, F. Cincotti, C. Del Percio, C. Miniussi, D.V. Moretti, S. Rossi, K. Sosta, P.M. Rossini (Italy) 161
Examining the effects of electromagnetic fields emitted by GSM mobile phones on human event-related potentials and performance during an auditory task
D.L. Hamblin, A.W. Wood, R.J. Croft, C. Stough (Australia) 171
Neurophysiologic correlates of deficient phonological representations and object naming in prematurely born children
E. Jansson-Verkasalo, P. Korpilahti, V. Jäntti, M. Valkama, L. Vainionpää, P. Alku, K. Suominen, R. Näätänen (Finland) 179

Attention-deficit/hyperactivity disorder: cognitive evoked potential (P300) topography predicts treatment response to methylphenidate
R.B. Sangal, J.A.M. Sangal (USA) 188
Association between quantitative EEG and neurocognition in methamphetamine-dependent volunteers
T.F. Newton, A.D. Kalechstein, D.J. Hardy, I.A. Cook, L. Nestor, W. Ling, A.F. Leuchter (USA) 194
The time course of the effects of central and peripheral cues on visual processing: an event-related potentials study
S. Doallo, L. Lorenzo-López, C. Vizoso, S.R. Holguín, E. Amenedo, S. Bará, F. Cadaveira (Spain) 199
Different neuronal contribution to N20 somatosensory evoked potential and to CO_2 laser evoked potentials: an intracerebral recording study
M. Valeriani, C. Barba, D. Le Pera, D. Restuccia, G. Colicchio, P. Tonali, O. Gagliardo, R.-D. Treede (Italy, Germany) 211
A fast visual evoked potential method for functional assessment and follow-up of childhood optic gliomas
M.T.S. Trisciuzzi, R. Riccardi, M. Piccardi, G. Iarossi, L. Buzzonetti, A. Dickmann, C. Colosimo Jr., A. Ruggiero, C. Di Rocco, B. Falsini (Italy) 217
A novel spatio-temporal decomposition of the EEG: derivation, validation and clinical application
C. Jackson, M. Sherratt (UK) 227
Stochastic resonance and sensory information processing: a tutorial and review of application
F. Moss, L.M. Ward, W.G. Sannita (USA, Canada, Italy) 267
Neonatal electrocortical brain activity and cerebral tissue oxygenation during non-acidotic, normocarbic and normotensive graded hypoxemia
A.W.D. Gavilanes, J.S.H. Vles, K. von Siebenthal, R. van Sprundel, J.P.H. Reulen, C.E. Blanco (The Netherlands, Switzerland) 282
Impaired movement-related potentials in acute frontal traumatic brain injury
H. Wiese, P. Stude, K. Nebel, D. Osenberg, V. Völzke, W. Ischebeck, D. Stolke, H.C. Diener, M. Keidel (Germany) 289
Individual analysis of EEG frequency and band power in mild Alzheimer's disease
D.V. Moretti, C. Babiloni, G. Binetti, E. Cassetta, G. Dal Forno, F. Ferreric, R. Ferri, B. Lanuzza, C. Miniussi, F. Nobili, G. Rodriguez, S. Salinari, P.M. Rossini (Italy, USA) 299
Magnetoencephalographic evidence of abnormal auditory processing in amyotrophic lateral sclerosis with bulbar signs
E. Pekkonen, D. Osipova, H. Laaksovirta (Finland) 309
Creutzfeldt-Jakob disease and non-convulsive status epilepticus: a clinical and electroencephalographic follow-up study
J.L. Fernández-Torre, D.M. Solar, A. Astudillo, R. Cereceda, A. Acebes, M.T. Calatayud (Spain) 316
Blink reflex abnormalities in Tourette syndrome
R. Raffaele, I. Vecchio, A. Alvano, G. Proto, G. Nicoletti, L. Rampello (Italy) 320
Flumazenil does not affect intracortical motor excitability in humans: a transcranial magnetic stimulation study
H.Y. Jung, Y.H. Sohn, A. Mason, E. Considine, M. Hallett (South Korea, USA) 325
Subtle hemispheric asymmetry of motor cortical inhibitory tone
T.V. Ilic, P. Jung, U. Ziemann (Germany) 330
Cortical control of voluntary blinking: a transcranial magnetic stimulation study
Y.H. Sohn, B. Voller, M. Dimyan, A. St Clair Gibson, T. Hanakawa, F.E. Leon-Sarmiento, H.Y. Jung, M. Hallett (USA, South Korea) 341
Stimulus-response properties of motor system in patients with cerebellar ataxia
S. Tamburin, A. Fiaschi, A. Andreoli, S. Marani, P. Manganotti, G. Zanette (Italy) 348
Triple stimulation technique (TST) in amyotrophic lateral sclerosis
L. Komissarow, J.D. Rollnik, D. Bogdanova, K. Krampfl, F.A. Khabirov, A. Kossev, R. Dengler, J. Bufler (Germany, Russia, Bulgaria) 356
Effects of a go/nogo task on event-related potentials following somatosensory stimulation
H. Nakata, K. Inui, Y. Nishihira, A. Hatta, M. Sakamoto, T. Kida, T. Wasaka, R. Kakigi (Japan) 361
Predictive validity of event-related potentials (ERPs) in relation to the directed forgetting effects
M.D. Paz-Caballero, J. Menor, J.M. Jiménez (Spain) 369
Habituation in a simple repetitive motor task: a study with movement-related cortical potentials
G. Dirnberger, C. Duregger, G. Lindinger, W. Lang (Austria) 378
Language-related brain activity revealed by independent component analysis
C. Salustri, E. Kronberg (Italy, USA) 385
Clozapine, but not typical antipsychotics, correct P50 suppression deficit in patients with schizophrenia
J. Becker, I. Gomes, E.S. Ghisolfi, A. Schuch, F.L.P. Ramos, J.A. Ehlers, D.B. Nora, D.R. Lara, J.C. da Costa (Brazil) 396
EEG differences in children as a function of resting-state arousal level
R.J. Barry, A.R. Clarke, R. McCarthy, M. Selikowitz, J.A. Rushby, E. Ploskova (Australia) 402
Developmental changes in ERP correlates of spoken word recognition during early school years: a phonological priming study
M. Bonte, L. Blomert (The Netherlands) 409
Somatosensory evoked potentials (SEPs) recorded from deep brain stimulation (DBS) electrodes in the thalamus and subthalamic nucleus (STN)
R. Hanajima, J.O. Dostrovsky, A.M. Lozano, W.D. Hutchison, K.D. Davis, R. Chen, P. Ashby (Canada) 424

Is there training-dependent reorganization of digit representations in area 3b of string players?
I. Hashimoto, A. Suzuki, T. Kimura, Y. Iguchi, M. Tanosaki, R. Takino, Y. Haruta, M. Taira (Japan) 435
Somatosensory evoked potentials and magnetic fields elicited by tactile stimulation of the hand during active and quiet sleep in newborns
E. Pihko, L. Lauronen, H. Wikström, S. Taulu, J. Nurminen, S. Kivitie-Kallio, Y. Okada (Finland, USA) 448
Effect of transcranial DC sensorimotor cortex stimulation on somatosensory evoked potentials in humans
K. Matsunaga, M.A. Nitsche, S. Tsuji, J.C. Rothwell (UK, Germany, Japan) 456
Visual electrophysiological screening in diagnosing infants with congenital nystagmus
J. Brecelj, B. Stirn-Kranjc (Slovenia) 461
Evoked K-complex generation: the impact of sleep spindles and age
K. Crowley, J. Trinder, I.M. Colrain (USA, Australia) 471
Canine electroencephalographic recording technique: findings in normal and epileptic dogs
F.C. Pellegrino, R.E.P. Sica (Argentina) 477
Automated interictal spike detection and source localization in magnetoencephalography using independent components analysis and spatio-temporal clustering
A. Ossadtchi, S. Baillet, J.C. Mosher, D. Thyerlei, W. Sutherling, R.M. Leahy (USA, France) 508
Contribution of different EEG frequencies to auditory evoked potential abnormalities in schizophrenia
B.H. Jansen, A. Hegde, N.N. Boutros (USA) 523
EEG minimum-norm estimation compared with MEG dipole fitting in the localization of somatosensory sources at S1
S. Komssi, J. Huttunen, H.J. Aronen, R.J. Ilmoniemi (Finland) 534
Modeling studies on irregular motor unit potentials
E. Zalewska, I. Hausmanowa-Petrusewicz, E. Stålberg (Poland, Sweden) 543
Number of Edb motor units estimated using an adapted multiple point stimulation method: normal values and longitudinal studies in ALS and peripheral neuropathies
E. Albrecht, T. Kuntzer (Switzerland) 557
Comparison of conventional and decomposition-enhanced spike triggered averaging techniques
V.H. Lawson, M.B. Bromberg, D. Stashuk (USA, Canada) 564
Impact of different stimulation types on orthostatic tremor
J. Spiegel, G. Fuß, C. Krick, U. Dillmann (Germany) 569
Intraoperative neurophysiologic discovery of uncrossed sensory and motor pathways in a patient with horizontal gaze palsy and scoliosis
D.B. MacDonald, L.J. Streletz, Z. Al-Zayed, S. Abdool, B. Stigsby (Saudi Arabia) 576
Distinct differences in cortical reactivity of motor and prefrontal cortices to magnetic stimulation
S. Kähkönen, J. Wilenius, S. Komssi, R.J. Ilmoniemi (Finland) 583
Electric field and stimulating influence generated by deep brain stimulation of the subthalamic nucleus
C.C. McIntyre, S. Mori, D.L. Sherman, N.V. Thakor, J.L. Vitek (USA) 589
Effects of hand posture on preparatory control processes and sensory modulations in tactile-spatial attention
M. Eimer, B. Forster, A. Fieger, S. Harbich (UK, Germany) 596
Principal component analysis for reduction of ocular artefacts in event-related potentials of normal and dyslexic children
S. Casarotto, A.M. Bianchi, S. Cerutti, G.A. Chiarenza (Italy) 609
Auditory event-related potential indices of increased distractibility in children with major depression
T. Lepistö, M. Soininen, R. Čeponienė, F. Almqvist, R. Näätänen, E.T. Aronen (Finland, USA) 620
Automatic processing of self-regulation of slow cortical potentials: evidence from brain-computer communication in paralysed patients
N. Neumann, T. Hinterberger, J. Kaiser, U. Leins, N. Birbaumer, A. Kübler (Germany, Italy, Ireland) 628
Effects of distraction on magnetoencephalographic responses ascending through C-fibers in humans
Y. Qiu, K. Inui, X. Wang, B.T. Nguyen, T.D. Tran, R. Kakigi (Japan) 636
Parietal generators of low- and high-frequency MN (median nerve) SEPs: data from intracortical human recordings
C. Barba, M. Valeriani, G. Colicchio, P. Tonali, D. Restuccia (Italy) 647
Modifications of sleep EEG induced by chronic vagus nerve stimulation in patients affected by refractory epilepsy
P. Rizzo, M. Beelke, F. De Carli, P. Canovaro, L. Nobili, A. Robert, P. Fornaro, P. Tanganelli, G. Regesta, F. Ferrillo (Italy) 658
EEG background activity described by a large computerized database
H. Aurlien, I.O. Gjerde, J.H. Aarseth, G. Eldøen, B. Karlsen, H. Skeidsvoll, N.E. Gilhus (Norway) 665
The interplay of lorazepam-induced brain oscillations: microstructural electromagnetic study
A.A. Fingelkurts, A.A. Fingelkurts, R. Kivisaari, E. Pekkonen, R.J. Ilmoniemi, S. Kähkönen (Finland) 674
Co-registration of magnetoencephalography with magnetic resonance imaging using bite-bar-based fiducials and surface-matching
P. Adjamian, G.R. Barnes, A. Hillebrand, I.E. Holliday, K.D. Singh, P.L. Furlong, E. Harrington, C.W. Barclay, P.J.G. Route (UK) 691
Potentials evoked by chirp-modulated tones: a new technique to evaluate oscillatory activity in the auditory pathway
J. Artieda, M. Valencia, M. Alegre, O. Olaziregi, E. Urrestarazu, J. Iriarte (Spain) 699
Effects of electrode density and electrolyte spreading in dense array electroencephalographic recording
L.L. Greischar, C.A. Burghy, C.M. van Reekum, D.C. Jackson, D.A. Pizzagalli, C. Mueller, R.J. Davidson (USA) 710

Mu rhythm-based cursor control: an offline analysis
M. Cheng, W. Jia, X. Gao, S. Gao, F. Yang (China) 745
Posterior antebrachial cutaneous nerve conduction studies in normal subjects
K.M. Prakash, T.H. Leoh, Y.F. Dan, S. Nurjannah, Y.E. Tan, L.Q. Xu, Y.L. Lo (Singapore) 752
Inhibitory interactions between pairs of subthreshold conditioning stimuli in the human motor cortex
S. Bestmann, H.R. Siebner, N. Modugno, V.E. Amassian, J.C. Rothwell (UK, Italy, USA) 755
The effects of repetitive proprioceptive stimulation on corticomotor representation in intact and hemiplegic individuals
G.N. Lewis, W.D. Byblow (New Zealand) 765
Electrophysiological assessment of the effect of intrathecal baclofen in dystonic children
B. Dachy, B. Dan (Belgium) 774
Group II spindle fibres and afferent control of stance. Clues from diabetic neuropathy
A. Nardone, M. Schieppati (Italy) 779
Electromyographic activity of voluntarily activated trunk flexor and extensor muscles in post-stroke hemiparetic subjects
R. Dickstein, S. Shefi, E. Marcovitz, Y. Villa (Israel) 790
Anticipatory postural adjustments associated with rotational perturbations while standing on fixed and free-rotating supports
T. Shiratori, A.S. Aruin (USA) 797
Vestibular testing by electrical stimulation in patients with unilateral vestibular deafferentation: galvanic evoked myogenic responses testing versus galvanic body sway testing
H. Monobe, T. Murofushi (Japan) 807
Impact of coil position and electrophysiological monitoring on determination of motor thresholds to transcranial magnetic stimulation
A.B. Conforto, W.J. Z'Graggen, A.S. Kohl, K.M. Rösler, A. Kaelin-Lang (Switzerland, Brazil) 812
MEG response to median nerve stimulation correlates with recovery of sensory and motor function after stroke
M. Huang, L.E. Davis, C. Aine, M. Weisend, D. Harrington, R. Christner, J. Stephen, J.C. Edgar, M. Herman, J. Meyer, K. Paulson, K. Martin, R.R. Lee (USA) 820
Comparison of descending volleys evoked by transcranial and epidural motor cortex stimulation in a conscious patient with bulbar pain
V. Di Lazzaro, A. Oliviero, F. Pilato, E. Saturno, M. Dileone, M. Meglio, B. Cioni, F. Papacci, P.A. Tonali, J.C. Rothwell (Italy, Spain, UK) 834
Different modes of grip force control: voluntary and externally guided arm movements with a hand-held load
D.A. Nowak (UK, Germany) 839
Cerebellar activation during leg withdrawal reflex conditioning: an fMRI study
A. Dimitrova, F.P. Kolb, H.-G. Elles, M. Maschke, M. Gerwig, E. Gizewski, D. Timmann (Germany) 849
Modulation of H-reflex excitability by tetanic stimulation
T. Kitago, R. Mazzocchio, G. Liuzzi, L.G. Cohen (USA, Italy) 858
Significance of coil orientation for motor evoked potentials from nasalis muscle elicited by transcranial magnetic stimulation
P. Dubach, A.G. Guggisberg, K.M. Rösler, C.W. Hess, J. Mathis (Switzerland) 862
Passive enhancement of the somatosensory P100 and N140 in an active attention task using deviant alone condition
T. Kida, Y. Nishihira, T. Wasaka, H. Nakata, M. Sakamoto (Japan) 871
Familiar-face recognition and comparison: source analysis of scalp-recorded event-related potentials
E.V. Mnatsakanian, I.M. Tarkka (Finland, Russia) 880
Peak alpha frequency: an electroencephalographic measure of cognitive preparedness
E. Angelakis, J.F. Lubar, S. Stathopoulou, J. Kounios (USA) 887
Effects of tone repetition on auditory evoked neuromagnetic fields
T. Rosburg (Germany) 898
The dipole location shift within the auditory evoked neuromagnetic field components N100m and mismatch negativity (MMNm)
T. Rosburg, J. Haueisen, I. Kreitschmann-Andermahr (Germany) 906
A sequential study of visual evoked potential in patients with vitamin B_{12} deficiency neurological syndrome
S. Pandey, J. Kalita, U.K. Misra (India) 914
Influence of modafinil on somatosensory input processing in the human brain-stem
G.D. Marca, D. Restuccia, M. Rubino, T. Maiese, P. Tonali (Italy) 919
Different origins of low- and high-frequency components (600 Hz) of human somatosensory evoked potentials
R. Gobbelé, T.D. Waberski, H. Simon, E. Peters, F. Klostermann, G. Curio, H. Buchner (Germany) 927
Sleep polygraphy in Angelman syndrome
S. Miano, O. Bruni, V. Leuzzi, M. Elia, E. Verrillo, R. Ferri (Italy) 938
Abnormal heart rate variability in a subject with second degree atrioventricular blocks during sleep
A.U. Viola, C. Simon, S. Doutreleau, J. Ehrhart, B. Geny, F. Piquard, G. Brandenberger (France) 946
Simple instructions for partial sleep deprivation prior to pediatric EEG reduces the need for sedation
H.-T. Ong, K.J.L. Lim, P.-C. Low, P.-S. Low (Singapore) 951
Brain excitability changes in the relapsing and remitting phases of multiple sclerosis: a study with transcranial magnetic stimulation
M.D. Caramia, M.G. Palmieri, M.T. Desiato, L. Boffa, P. Galizia, P.M. Rossini, D. Centonze, G. Bernardi (Italy) 956

Music perception in cochlear implant users: an event-related potential study
S. Koelsch, M. Wittfoth, A. Wolf, J. Müller, A. Hahne (Germany, USA) 966
Altered response control and anterior cingulate function in attention-deficit/hyperactivity disorder boys
A.J. Fallgatter, A.-C. Ehlis, J. Seifert, W.K. Strik, P. Scheuerpflug, K.E. Zillessen, M.J. Herrmann, A. Warnke
(Germany, Switzerland) 973
Properties of after-discharges from cortical electrical stimulation in focal epilepsies
W.T. Blume, D.C. Jones, P. Pathak (Canada) 982
Localization of ulnar neuropathy at the elbow using new stimulator for the inching test
D.H. Kim, Y.K. Kang, M. Hwang, H.S. Jo, K.H. Kim (South Korea) 1021
Non-invasive magnetic detection of human injury currents
M. Carbon, G. Wübbeler, B.-M. Mackert, J. Mackert, J. Ramsbacher, L. Trahms, G. Curio (Germany, USA) 1027
Practice-related modulations of force enslaving and cortical activity as revealed by EEG
H. Chiang, S.M. Slobounov, W. Ray (USA) 1033
Induction of long-term plasticity in human swallowing motor cortex following repetitive cortical stimulation
D. Gow, J. Rothwell, A. Hobson, D. Thompson, S. Hamdy (UK) 1044
Nociceptive EMG suppression in triceps brachii muscle in humans
M. Kofler, I. Štetkárová, J. Wissel (Austria, Czech Republic, Germany) 1052
Cutaneous reflexes from the foot during gait in hereditary spastic paraparesis
J. Duysens, B.C.M. Baken, L. Burgers, F.M. Plat, A.R. den Otter, H.P.H. Kremer (The Netherlands) 1057
Ovarian hormones and cortical excitability. An rTMS study in humans
M. Inghilleri, A. Conte, A. Currà, V. Frasca, C. Lorenzano, A. Berardelli (Italy) 1063
The effect of short-duration bursts of high-frequency, low-intensity transcranial magnetic stimulation on the human motor cortex
Y.-Z. Huang, J.C. Rothwell (UK) 1069
The cortical silent period: intrinsic variability and relation to the waveform of the transcranial magnetic stimulation pulse
M. Orth, J.C. Rothwell (UK) 1076
Auditory middle-latency components to fusion of speech elements forming an auditory object
H. Pratt, N. Mittelman, N. Bleich, I. Laufer (Israel) 1083
Effects of word length and frequency on the human event-related potential
O. Hauk, F. Pulvermüller (UK) 1090
Developmental change of neurocognitive motor behavior in a continuous performance test with different interstimulus intervals
S. Okazaki, M. Hosokawa, Y. Kawakubo, H. Ozaki, H. Maekawa, S. Futakami (Japan) 1104
On wavelet analysis of auditory evoked potentials
A.P. Bradley, W.J. Wilson (Australia) 1114
The relationship between the auditory brain-stem response and its reconstructed waveforms following discrete wavelet transformation
W.J. Wilson (Australia, South Africa) 1129
Occurrence of nerve entrapment lesion in chronic inflammatory demyelinating polyneuropathy
L. Padua, P. Caliandro, I. Aprile, M. Sabatelli, F. Madia, P. Tonali (Italy) 1140
Multisensory convergence at human temporo-parietal junction – epicortical recording of evoked responses
M. Matsuhashi, A. Ikeda, S. Ohara, R. Matsumoto, J. Yamamoto, M. Takayama, T. Satow, T. Begum, K. Usui, T. Nagamine,
N. Mikuni, J. Takahashi, S. Miyamoto, H. Fukuyama, H. Shibasaki (Japan) 1145
Perception of static eye gaze direction facilitates subsequent early visual processing
A.-M. Schuller, B. Rossion (Belgium) 1161
Ictal heart rate increase precedes EEG discharge in drug-resistant mesial temporal lobe seizures
G. Di Gennaro, P.P. Quarato, F. Sebastiano, V. Esposito, P. Onorati, L.G. Grammaldo, G.N. Meldolesi, A. Mascia, C. Falco,
C. Scoppetta, F. Eusebi, M. Manfredi, G. Cantore (Italy) 1169
Paradoxes of the first-night effect: a quantitative analysis of antero-posterior EEG topography
G. Curcio, M. Ferrara, A. Piergianni, F. Fratello, L. De Gennaro (Italy) 1178
A brain symmetry index (BSI) for online EEG monitoring in carotid endarterectomy
M.J.A.M. van Putten, J.M. Peters, S.M. Mulder, J.A.M. de Haas, C.M.A. Bruijninckx, D.L.J. Tavy (The Netherlands) 1189
Effect of low-frequency magnetic fields on brain electrical activity in human subjects
A.A. Marino, E. Nilsen, A.L. Chesson Jr., C. Frilot (USA) 1195
Different EEG frequency band synchronization during nocturnal frontal lobe seizures
R. Ferri, C.J. Stam, B. Lanuzza, F.I.I. Cosentino, M. Elia, S.A. Musumeci, G. Pennisi (Italy, The Netherlands) 1202
Postoperative EEG and seizure outcome in temporal lobe epilepsy surgery
G. Di Gennaro, P.P. Quarato, F. Sebastiano, V. Esposito, P. Onorati, A. Mascia, P. Romanelli, L.G. Grammaldo, C. Falco,
C. Scoppetta, F. Eusebi, M. Manfredi, G. Cantore (Italy, USA) 1212
Optimization of an independent component analysis approach for artifact identification and removal in magnetoencephalographic signals
G. Barbati, C. Porcaro, F. Zappasodi, P.M. Rossini, F. Tecchio (Italy) 1220
One set of sounds, two tonotopic maps: exploring auditory cortex with amplitude-modulated tones
N. Weisz, A. Keil, C. Wienbruch, S. Hoffmeister, T. Elbert (Germany) 1249

Effects of low frequency and low intensity repetitive paired pulse stimulation of the primary motor cortex
E.M. Khedr, F. Gilio, J. Rothwell (Egypt, Italy, UK) 1259
Modulation of motor cortex excitability after upper limb immobilization
G. Zanette, P. Manganotti, A. Fiaschi, S. Tamburin (Italy) 1264
Multivariate AR modeling of electromyography for the classification of upper arm movements
X. Hu, V. Nenov (USA) 1276
Glutamate evoked neck and jaw muscle pain facilitate the human jaw stretch reflex
K. Wang, B.J. Sessle, P. Svensson, L. Arendt-Nielsen (Denmark, Canada) 1288
Effects of loading and unloading of lower limb joints on the soleus H-reflex in standing humans
K. Nakazawa, T. Miyoshi, H. Sekiguchi, D. Nozaki, M. Akai, H. Yano (Japan) 1296
Handedness is mainly associated with an asymmetry of corticospinal excitability and not of transcallosal inhibition
L. De Gennaro, R. Cristiani, M. Bertini, G. Curcio, M. Ferrara, F. Fratello, V. Romei, P.M. Rossini (Italy) 1305
Surface EMG recording of heteronymous reflex excitation of semitendinosus motoneurones by group II afferents
T. Roujeau, P. Decq, J.-P. Lefaucheur (France) 1313
Inhibitory processing during the Go/NoGo task: an ERP analysis of children with attention-deficit/hyperactivity disorder
J.L. Smith, S.J. Johnstone, R.J. Barry (Australia) 1320
EEG synchronization likelihood in mild cognitive impairment and Alzheimer's disease during a working memory task
Y.A.L. Pijnenburg, Y. vd Made, A.M. van Cappellen van Walsum, D.L. Knol, Ph. Scheltens, C.J. Stam (The Netherlands) 1332
Executive hypercontrol in obsessive–compulsive disorder: electrophysiological and neuropsychological indices
P. Bucci, A. Mucci, U. Volpe, E. Merlotti, S. Galderisi, M. Maj (Italy) 1340
A common N400 EEG component reflecting contextual integration irrespective of symbolic form
N. Fogelson, C. Loukas, J. Brown, P. Brown (UK) 1349
The old switcheroo: when target environmental sounds elicit a novelty P3
Y.M. Cycowicz, D. Friedman (USA) 1359
EEG spectral analysis of wakefulness and REM sleep in high functioning autistic spectrum disorders
A.-M. Daoust, É. Limoges, C. Bolduc, L. Mottron, R. Godbout (Canada) 1368
Alcoholism risk, tobacco smoking, and P300 event-related potential
J. Polich, C.J. Ochoa (USA) 1374
Anesthesia affects olfaction and chemosensory event-related potentials
A. Welge-Lüssen, C. Wille, B. Renner, G. Kobal (Switzerland, Germany) 1384
Brain-stem components of high-frequency somatosensory evoked potentials are modulated by arousal changes: nasopharyngeal recordings in healthy humans
D. Restuccia, G.D. Marca, M. Valeriani, M. Rubino, E. Scarano, P. Tonali (Italy) 1392
Simultaneous modulation of the exteroceptive suppression periods in the trapezius and temporalis muscles by experimental muscle pain
H.-Y. Ge, K. Wang, P. Madeleine, P. Svensson, B.J. Sessle, L. Arendt-Nielsen (Denmark, Canada) 1399
Interhemispheric functional synchronization at the first step of visual information processing in humans
Y. Goto, T. Taniwaki, N. Kinukawa, S. Tobimatsu (Japan) 1409
Photosensitive absence epilepsy with myoclonias and heterozygosity for succinic semialdehyde dehydrogenase (SSADH) deficiency
A. Dervent, K.M. Gibson, P.L. Pearl, G.S. Salomons, C. Jakobs, C. Yalcinkaya (Turkey, USA, The Netherlands) 1417
Characteristics of scalp electrical fields associated with deep medial temporal epileptiform discharges
D. Nayak, A. Valentín, G. Alarcón, J.J. García Seoane, F. Brunnhuber, J. Juler, C.E. Polkey, C.D. Binnie (UK, Spain) 1423
Pathological theta oscillations in idiopathic generalised epilepsy
B. Clemens (Hungary) 1436
Confidence limits of dipole source reconstruction results
M. Fuchs, M. Wagner, J. Kastner (Germany) 1442
Clinical utility of dorsal sural nerve conduction studies in healthy and diabetic children
N. Turgut, S. Karasalihoglu, Y. Kücükugurluoglu, K. Balci, G. Ekuklu, F. Tütüncüler (Turkey) 1452
Muscle membrane polarisation after provocative tests, and after cooling: the normal CMAP changes to be expected
T. Kuntzer, P. Michel (Switzerland) 1457
Clinical and electrophysiological follow-up after local steroid injection in the carpal tunnel syndrome
E.E.O. Hagebeuk, A.W. de Weerd (The Netherlands) 1464
Transient phrenic nerve palsy after cardiac operation in infants
T. Imai, H. Shizukawa, H. Imaizumi, H. Matsumoto (Japan) 1469
Cardiovascular autonomic dysfunction correlates with brain MRI lesion load in MS
A. Saari, U. Tolonen, E. Pääkkö, K. Suominen, J. Pyhtinen, K. Sotaniemi, V. Myllylä (Finland) 1473
Motor cortex stimulation for amyotrophic lateral sclerosis. Time for a therapeutic trial?
V. Di Lazzaro, A. Oliviero, E. Saturno, F. Pilato, M. Dileone, M. Sabatelli, P.A. Tonali (Italy) 1479
The after effects of motor cortex rTMS depend on the state of contraction when rTMS is applied
T. Fujiwara, J.C. Rothwell (UK, Japan) 1514

Long-lasting increase in corticospinal excitability after 1800 pulses of subthreshold 5 Hz repetitive TMS to the primary motor cortex
A. Peinemann, B. Reimer, C. Löer, A. Quartarone, A. Münchau, B. Conrad, H.R. Siebner (Germany, Italy) 1519
Abnormalities of prepulse inhibition do not depend on blink reflex excitability: a study in Parkinson's disease and Huntington's disease
J. Valls-Solé, J.E. Muñoz, F. Valldeoriola (Spain) 1527
Dipole source localization of event-related brain activity indicative of an early visual selective attention deficit in ADHD children
L.M. Jonkman, J.L. Kenemans, C. Kemner, M.N. Verbaten, H. van Engeland (The Netherlands) 1537
The NoGo P300 'anteriorization' effect and response inhibition
D.F. Salisbury, C.B. Griggs, M.E. Shenton, R.W. McCarley (USA) 1550
Magnetoencephalographic study of occipitotemporal activity elicited by viewing mouth movements
K. Miki, S. Watanabe, R. Kakigi, A. Puce (Japan, USA) 1559
Asymmetry in alpha power predicts accuracy of hemispheric lexical decision
S.A. Weems, E. Zaidel, S. Berman, Mark. A. Mandelkern (USA) 1575
ERP evidence of impaired central nervous system function in virally suppressed HIV patients on antiretroviral therapy
L.L. Chao, J.A. Lindgren, D.L. Flenniken, M.W. Weiner (USA) 1583
Rapid change of tonotopic maps in the human auditory cortex during pitch discrimination
I. Ozaki, C.Y. Jin, Y. Suzuki, M. Baba, M. Matsunaga, I. Hashimoto (Japan) 1592
Brain-stem auditory impairment during the neonatal period in term infants after asphyxia: dynamic changes in brain-stem auditory evoked response to clicks of different rates
Z.D. Jiang, R. Yin, X.M. Shao, A.R. Wilkinson (China, UK) 1605
Short-latency components of evoked potentials to median nerve stimulation recorded by intracerebral electrodes in the human pre- and postcentral areas
E. Balzamo, P. Marquis, P. Chauvel, J. Régis (France) 1616
Disinhibition of the somatosensory cortex in cervical dystonia—decreased amplitudes of high-frequency oscillations
K. Inoue, I. Hashimoto, T. Shirai, H. Kawakami, T. Miyachi, Y. Mimori, M. Matsumoto (Japan) 1624
A new non-invasive method for recording the electro-olfactogram using external electrodes
L. Wang, C. Hari, L. Chen, T. Jacob (UK) 1631
Attention to a painful cutaneous laser stimulus modulates electrocorticographic event-related desynchronization in humans
S. Ohara, N.E. Crone, N. Weiss, F.A. Lenz (USA) 1641
Brain-stem auditory and visual evoked potentials in children with Krabbe disease
M. Aldosari, M. Altuwaijri, A.M. Husain (USA) 1653
Evaluation of L_1 and L_2 minimum norm performances on EEG localizations
C. Silva, J.C. Maltez, E. Trindade, A. Arriaga, E. Ducla-Soares (Portugal, Sweden) 1657
Factor structure of the human gamma band oscillatory response to visual (contrast) stimulation
S. Carozzo, F. De Carli, M. Beelke, M. Saturno, S. Garbarino, C. Martello, W.G. Sannita (Italy, USA) 1669
Sensory nerve conduction of the plantar nerve compared with other nerve conduction tests in rats
K. Kurokawa, D.F. de Almeida, Y. Zhang, C.D. Hébert, J.G. Page, K.M. Schweikart, S.J. Oh (USA) 1677
Usefulness of an increase in size of motor unit potential sample
S. Podnar (Slovenia) 1683
Subclinical cranial nerve involvement in hereditary motor and sensory neuropathy: a combined conduction study with electrical and magnetic stimulation
R. Kumagai-Eto, Y. Kaseda, S. Tobimatsu, T. Uozumi, S. Tsuji, S. Nakamura (Japan) 1689
Electric field properties of two commercial figure-8 coils in TMS: calculation of focality and efficiency
A. Thielscher, T. Kammer (Germany) 1697
Should transcranial magnetic stimulation research in children be considered minimal risk?
D.L. Gilbert, M.A. Garvey, A.S. Bansal, T. Lipps, J. Zhang, E.M. Wassermann (USA) 1730
Intra-subject reliability of parameters contributing to maps generated by transcranial magnetic stimulation in able-bodied adults
S.L. Wolf, A.J. Butler, G.I. Campana, T.A. Parris, D.M. Struys, S.R. Weinstein, P. Weiss (USA) 1740
EMG for assessing the recovery of voluntary movement after acute spinal cord injury in man
B. Calancie, M.R. Molano, J.G. Broton (USA) 1748
Primary motor cortex activation during action observation revealed by wavelet analysis of the EEG
S.D. Muthukumaraswamy, B.W. Johnson (New Zealand) 1760
Experimental muscle pain increases trapezius muscle activity during sustained isometric contractions of arm muscles
E. Schulte, A. Ciubotariu, L. Arendt-Nielsen, C. Disselhorst-Klug, G. Rau, T. Graven-Nielsen (Germany, Denmark) 1767
Influences of chemically-induced muscle pain on power output of ballistic upper limb movements
M. Bonifazi, G. Ciccarone, R. della Volpe, R. Spidalieri, A. Rossi (Italy) 1779
Patterns of abnormal motor cortex excitability in atypical parkinsonian syndromes
A.A. Kühn, P. Grosse, K. Holtz, P. Brown, B.-U. Meyer, A. Kupsch (Germany, UK) 1786
Galvanic evoked vestibulospinal and vestibulocollic reflexes in stroke
S.K. Jankelowitz, J.G. Colebatch (Australia) 1796

Cognitive tasks augment gamma EEG power
S.P. Fitzgibbon, K.J. Pope, L. Mackenzie, C.R. Clark, J.O. Willoughby (Australia) 1802
Size matters: effects of stimulus size, duration and eccentricity on the visual gamma-band response
N.A. Busch, S. Debener, C. Kranczioch, A.K. Engel, C.S. Herrmann (Germany) 1810
Frontal midline theta and the error-related negativity: neurophysiological mechanisms of action regulation
P. Luu, D.M. Tucker, S. Makeig (USA) 1821
Specific task anticipation versus unspecific orienting reaction during early contingent negative variation
S. Bender, F. Resch, M. Weisbrod, R. Oelkers-Ax (Germany) 1836
Differential effects on the laser evoked potential of selectively attending to pain localisation versus pain unpleasantness
D.E. Bentley, A. Watson, R.-D. Treede, G. Barrett, P.D. Youell, B. Kulkarni, A.K.P. Jones (UK, Germany) 1846
Somatosensory evoked high-frequency oscillations in migraine patients
K. Sakuma, T. Takeshima, K. Ishizaki, K. Nakashima (Japan) 1857
Reduced oscillatory gamma-band responses in unmedicated schizophrenic patients indicate impaired frontal network processing
J. Gallinat, G. Winterer, C.S. Herrmann, D. Senkowski (Germany, USA) 1863
Cognitive processes in two-point discrimination: an ERP study
Y. Tamura, M. Hoshiyama, K. Inui, H. Nakata, T. Wasaka, S. Ojima, K. Inoue, R. Kakigi (Japan) 1875
Tempo dependence of middle- and long-latency auditory responses: power and phase modulation of the EEG at multiple time-scales
J.S. Snyder, E.W. Large (USA) 1885
Long-range temporal correlations in alpha and beta oscillations: effect of arousal level and test–retest reliability
V.V. Nikulin, T. Brismar (Sweden) 1896
Evaluation of objective methods to diagnose palmar hyperhidrosis and monitor effects of botulinum toxin treatment
A.-L. Krogstad, B.S.A. Skymne, B.S.G. Pegenius, M. Elam, B.G. Wallin (Sweden) 1909
Blink reflex discloses CNS dysfunction in neurologically asymptomatic patients with systemic sclerosis
R. Casale, G. Frazzitta, C. Fundarò, P. Balbi, A.D. Rosso, L. Bertinotti, M. Matucci-Cerinic (Italy) 1917
A correlative electrophysiologic study of nerve fiber involvement in carpal tunnel syndrome using current perception thresholds
A. Nishimura, T. Ogura, H. Hase, A. Makinodan, T. Hojo, Y. Katsumi, K. Yagi, Y. Mikami, T. Kubo (Japan) 1921
A comparison between derivation optimization and Cz′–FPz for posterior tibial P37 somatosensory evoked potential intraoperative monitoring
D.B. MacDonald, B. Stigsby, Z. Al Zayed (Saudi Arabia) 1925
The refractory period of fast conducting corticospinal tract axons in man and its implications for intraoperative monitoring of motor evoked potentials
K. Novak, A.B. de Camargo, M. Neuwirth, K. Kothbauer, V.E. Amassian, V. Deletis (USA) 1931
Generalization of the generation of an MMN by illusory McGurk percepts: voiceless consonants
C. Colin, M. Radeau, A. Soquet, P. Deltenre (Belgium) 1989
Electrophysiological correlates of attention, inhibition, sensitivity and bias in a continuous performance task
E.M. Bekker, J.L. Kenemans, M.N. Verbaten (The Netherlands) 2001
Response monitoring without sensory feedback
S. Allain, T. Hasbroucq, B. Burle, J. Grapperon, F. Vidal (France) 2014
Brainstem responses to speech syllables
N. Russo, T. Nicol, G. Musacchia, N. Kraus (USA) 2021
Interdependency between heart rate variability and sleep EEG: linear/non-linear?
M. Dumont, F. Jurysta, J.-P. Lanquart, P.-F. Migeotte, P. van de Borne, P. Linkowski (Belgium) 2031
Magnetoencephalographic spikes not detected by conventional electroencephalography
E. Rodin, M. Funke, P. Berg, F. Matsuo (USA, Germany) 2041
Abnormal EEG synchronisation in heavily drinking students
E.A. de Bruin, S. Bijl, C.J. Stam, K.B.E. Böcker, J.L. Kenemans, M.N. Verbaten (The Netherlands) 2048
Subregions of human MT complex revealed by comparative MEG and direct electrocorticographic recordings
R. Matsumoto, A. Ikeda, T. Nagamine, M. Matsuhashi, S. Ohara, J. Yamamoto, K. Toma, N. Mikuni, J. Takahashi, S. Miyamoto, H. Fukuyama, H. Shibasaki (Japan) 2056
Magnetoencephalography source localization and surgical outcome in temporal lobe epilepsy
B.A. Assaf, K.M. Karkar, K.D. Laxer, P.A. Garcia, E.J. Austin, N.M. Barbaro, M.J. Aminoff (USA) 2066
Origin, structure, and role of background EEG activity. Part 1. Analytic amplitude
W.J. Freeman (USA) 2077
Origin, structure, and role of background EEG activity. Part 2. Analytic phase
W.J. Freeman (USA) 2089
Dipole localization accuracy using grand–average EEG data sets
K. Whittingstall, G. Stroink, B. Dick (Canada) 2108
Visualization of incomplete conduction block by neuromagnetic recording
Y. Fukuoka, H. Komori, S. Kawabata, H. Ohkubo, K. Shinomiya (Japan) 2113

Interside comparison of cutaneous silent periods in thenar muscles of healthy male and female subjects
M. Kofler, K. Poustka (Austria) 2123
Post-exercise facilitation and depression of motor evoked potentials to transcranial magnetic stimulation: a study in multiple sclerosis
A. Perretti, P. Balbi, G. Orefice, L. Trojano, L. Marcantonio, V. Brescia-Morra, S. Ascione, F. Manganelli, G. Conte, L. Santoro (Italy) 2128
The influence of age on learning a locomotor task
H.J.A. van Hedel, V. Dietz (Switzerland, The Netherlands) 2134
Motor outcome after subcortical stroke correlates with the degree of cortical reorganization
G.W. Thickbroom, M.L. Byrnes, S.A. Archer, F.L. Mastaglia (Australia) 2144
Tremor analysis in two normal cohorts
J. Raethjen, M. Lauk, B. Köster, U. Fietzek, L. Friege, J. Timmer, C.H. Lücking, G. Deuschl (Germany) 2151
Fluoxetine facilitates use-dependent excitability of human primary motor cortex
B. Pleger, P. Schwenkreis, C. Grünberg, J.-P. Malin, M. Tegenthoff (Germany) 2157
Response selection and motor areas: a behavioural and electrophysiological study
L. Carbonnell, T. Hasbroucq, J. Grapperon, F. Vidal (France) 2164
MRI compatible EEG electrode system for routine use in the epilepsy monitoring unit and intensive care unit
S.M. Mirsattari, D.H. Lee, D. Jones, F. Bihari, J.R. Ives (Canada) 2175
Removal of time-varying gradient artifacts from EEG data acquired during continuous fMRI
M. Negishi, M. Abildgaard, T. Nixon, R.T. Constable (USA) 2181
Differential modulation of the short- and long-latency somatosensory evoked potentials in a forewarned reaction time task
T. Kida, Y. Nishihira, T. Wasaka, Y. Sakajiri, T. Tazoe (Japan) 2223
Impaired P50 sensory gating in Machado-Joseph disease
E.S. Ghisolfi, G.H.B. Maegawa, J. Becker, A.P. Zanardo, I.M. Strimitzer Jr., A.S. Prokopiuk, M.L. Pereira, T. Carvalho, L.B. Jardim, D.R. Lara (Brazil) 2231
Influence of sleep stage and wakefulness on spectral EEG activity and heart rate variations around periodic leg movements
S. Lavoie, F. de Bilbao, J. Haba-Rubio, V. Ibanez, E. Sforza (Switzerland) 2236
Clinical correlates of periodic breathing in neonatal polysomnography
A.J. Oliveira, M.L. Nunes, A. Fojo-Olmos, F.M. Reis, J.C. da Costa (Brazil) 2247
Age and gender effects in EEG coherence: I. Developmental trends in normal children
R.J. Barry, A.R. Clarke, R. McCarthy, M. Selikowitz, S.J. Johnstone, J.A. Rushby (Australia) 2252
Iron supplementation brings up a lacking P300 in iron deficient children
G.A. Otero, F.B. Pliego-Rivero, G. Contreras, J. Ricardo, T. Fernández (México) 2259
The role of sensory and motor evoked potentials in the prognosis of Pott's paraplegia
U.K. Misra, J. Kalita (India) 2267
How large must an epileptic focus be to cause an electrographic status epilepticus—a case report
S. Fauser, A. Schulze-Bonhage (Germany) 2274
Seizure detection: evaluation of the Reveal algorithm
S.B. Wilson, M.L. Scheuer, R.G. Emerson, A.J. Gabor (USA) 2280
Identifying true brain interaction from EEG data using the imaginary part of coherency
G. Nolte, O. Bai, L. Wheaton, Z. Mari, S. Vorbach, M. Hallett (USA) 2292
On the spatio-temporal organisation of quadratic phase-couplings in 'tracé alternant' EEG pattern in full-term newborns
H. Witte, P. Putsche, K. Schwab, M. Eiselt, M. Helbig, T. Suesse (Germany) 2308
Medial antebrachial cutaneous nerve conduction study, a new tool to demonstrate mild lower brachial plexus lesions. A report of 16 cases
P. Seror (France) 2316
Pure motor mononeuropathy with distal conduction block: an unusual presentation of multifocal motor neuropathy with conduction blocks
S. Vucic, K. Dawson, D. Sun, D. Cros (USA) 2323
Neurophysiologic findings in early acute inflammatory demyelinating polyradiculoneuropathy
S. Vucic, K.D. Cairns, K.R. Black, P.S.T. Chong, D. Cros (USA) 2329
Various aspects of F-wave values in a healthy population
J.A.M. Nobrega, D.S. Pinheiro, G.M. Manzano, J. Kimura (Brazil, Japan, USA) 2336
Changes in the perioral muscle responses to cortical TMS induced by decrease of sensory input and electrical stimulation to lower facial region
N. Yıldız, S. Yıldız, C. Ertekin, I. Aydoğdu, B. Uludag (Turkey) 2343
Tendon reflexes for predicting movement recovery after acute spinal cord injury in humans
B. Calancie, M.R. Molano, J.G. Broton (USA) 2350
Physiological measures of therapeutic response to interferon beta-1a treatment in remitting–relapsing MS
A.T. White, J.H. Petajan (USA) 2364
Altered central nervous system signal during motor performance in chronic fatigue syndrome
V. Siemionow, Y. Fang, L. Calabrese, V. Sahgal, G.H. Yue (USA) 2372

Characterising the central mechanisms of sensory modulation in human swallowing motor cortex
D. Gow, A.R. Hobson, P. Furlong, S. Hamdy (UK) 2382
Perceived effort in force production as reflected in motor-related cortical potentials
S. Slobounov, M. Hallett, K.M. Newell (USA) 2391
Sparing of perceptual implicit memory despite suppression of the electrophysiological word repetition effect: a study with general anesthetic isoflurane
C. Villemure, D. Lorrain, G. Plourde (Canada) 2403
Different TMS patterns of intracortical inhibition in early onset Alzheimer dementia and frontotemporal dementia
M. Pierantozzi, M. Panella, M.G. Palmieri, G. Koch, A. Giordano, M.G. Marciani, G. Bernardi, P. Stanzione, A. Stefani (Italy) 2410
MRI study of human brain exposed to weak direct current stimulation of the frontal cortex
M.A. Nitsche, L. Niehaus, K.T. Hoffmann, S. Hengst, D. Liebetanz, W. Paulus, B.-U. Meyer (Germany) 2419
Heart rate activation during spontaneous arousals from sleep: effect of sleep deprivation
E. Sforza, F. Chapotot, S. Lavoie, F. Roche, R. Pigeau, A. Buguet (Switzerland, France, Canada) 2442
The effects of neurofeedback training on the spectral topography of the electroencephalogram
T. Egner, T.F. Zech, J.H. Gruzelier (UK, Germany) 2452
Spectral analysis of burst periods in EEG from healthy and post-asphyctic full-term neonates
M. Thordstein, A. Flisberg, N. Löfgren, R. Bågenholm, K. Lindecrantz, B.G. Wallin, I. Kjellmer (Sweden) 2461
Serial EEG findings in sporadic and iatrogenic Creutzfeldt–Jakob disease
H.G. Wieser, U. Schwarz, T. Blättler, C. Bernoulli, M. Sitzler, K. Stoeck, M. Glatzel (Switzerland) 2467
Positive temporal sharp waves in preterm infants with and without brain ultrasound lesions
J.R.C. Conde, E.D. Martínez, C.G. Campo, A.M. Pérez, M.L. Mclean (Spain) 2479
Night terrors associated with thalamic lesion
G. Di Gennaro, A. Autret, A. Mascia, P. Onorati, F. Sebastiano, P.P. Quarato (Italy, France) 2489
Quantification of Uhthoff's phenomenon in multiple sclerosis: a magnetic stimulation study
A.M. Humm, S. Beer, J. Kool, M.R. Magistris, J. Kesselring, K.M. Rösler (Switzerland) 2493
Detection of abnormal cerebral excitability by coincident stimulation and recording
I.D. Hentall (USA) 2502
Acute repetitive pilomotor seizures (goose bumps)in a patient with right mesial temporal sclerosis
G.H. Dove, J.R. Buchhalter, G.D. Cascino (USA) 2511
Entrapment neuropathy of the palmar cutaneous branch of the median nerve in carpal tunnel syndrome
T. Imai, T. Wada, H. Matsumoto (Japan) 2514
Diminished central activation during maximal voluntary contraction in chronic fatigue syndrome
M.L. Schillings, J.S. Kalkman, S.P. van der Werf, B.G.M. van Engelen, G. Bleijenberg, M.J. Zwarts (Netherlands) 2518
Hyperglycemia alters refractory periods in human diabetic neuropathy
S. Misawa, S. Kuwabara, K. Ogawara, Y. Kitano, K. Yagui, T. Hattori (Japan) 2525
Improvement of motor performance and modulation of cortical excitability by repetitive transcranial magnetic stimulation of the motor cortex in Parkinson's disease
J.-P. Lefaucheur, X. Drouot, F. Von Raison, I. Ménard-Lefaucheur, P. Cesaro, J.-P. Nguyen (France) 2530
Neuronal activity in the basal ganglia and thalamus in patients with dystonia
P. Zhuang, Y. Li, M. Hallett (China, USA) 2542
Assessment of central motor conduction to intrinsic hand muscles using the triple stimulation technique: normal values and repeatability
A.M. Humm, W.J. Z'Graggen, N.E. von Hornstein, M.R. Magistris, K.M. Rösler (Switzerland) 2558
Motor unit excitability changes mediating vestibulocollic reflexes in the sternocleidomastoid muscle
J.G. Colebatch, J.C. Rothwell (Australia, UK) 2567
Adolescents with learning disorders have atypical EEG correlation indices. I. Correlation indices during visual discrimination
R.F. Byring, S. Haapasalo, T. Salmi (Finland) 2574
Adolescents with learning disorders have atypical EEG correlation indices. II. Correlation indices during reading
R.F. Byring, S. Haapasalo, T. Salmi (Finland) 2584
Event-related potentials in the auditory oddball as a function of EEG alpha phase at stimulus onset
R.J. Barry, J.A. Rushby, S.J. Johnstone, A.R. Clarke, R.J. Croft, C.A. Lawrence (Àustralia) 2593
Age-related differences in auditory event-related potentials during a cued attention task
I.J. Bennett, E.J. Golob, A. Starr (USA) 2602
Resource allocation and somatosensory P300 amplitude during dual task: effects of tracking speed and predictability of tracking direction
T. Kida, Y. Nishihira, A. Hatta, T. Wasaka, T. Tazoe, Y. Sakajiri, H. Nakata, T. Kaneda, K. Kuroiwa, S. Akiyama, M. Sakamoto, K. Kamijo, T. Higashiura (Japan) 2616
Aδ nociceptor response to laser stimuli: selective effect of stimulus duration on skin temperature, brain potentials and pain perception
G.D. Iannetti, M. Leandri, A. Truini, L. Zambreanu, G. Cruccu, I. Tracey (UK, Italy) 2629

Functional connectivity between forearm and digits representations in human somatosensory area 3b
M. Tanosaki, Y. Iguchi, T. Kimura, R. Takino, I. Hashimoto (Japan) 2638
N10 component in median nerve somatosensory evoked potentials (SEPs) is not an antidromic motor potential
M. Sonoo, Y. Hatanaka, H. Tsukamoto, Y. Tsai-Shozawa, T. Shimizu (Japan) 2645
Comparison of pupil responses to luminance and colour in severe optic neuritis
J.L. Barbur, S. Moro, J.A. Harlow, B.L. Lam, M. Liu (UK, USA) 2650
Simulated nystagmus suppresses pattern-reversal but not pattern-onset visual evoked potentials
M.B. Hoffmann, P.S. Seufert, M. Bach (Germany) 2659
Recovery of movement-related potentials in the temporal course after prefrontal traumatic brain injury: a follow-up study
H. Wiese, P. Stude, K. Nebel, D. Osenberg, W. Ischebeck, D. Stolke, H.C. Diener, M. Keidel (Germany) 2677
Changes in arousal level by differential exercise intensity
K. Kamijo, Y. Nishihira, A. Hatta, T. Kaneda, T. Kida, T. Higashiura, K. Kuroiwa (Japan) 2693
Quantitative continuous EEG for detecting delayed cerebral ischemia in patients with poor-grade subarachnoid hemorrhage
J. Claassen, L.J. Hirsch, K.T. Kreiter, E.Y. Du, E.S. Connolly, R.G. Emerson, S.A. Mayer (USA) 2699
Vinpocetine prevents 4-aminopyridine-induced changes in the EEG, the auditory brainstem responses and hearing
M. Sitges, V. Nekrassov (Mexico) 2711
Quantitative visualization of ictal subdural EEG changes in children with neocortical focal seizures
E. Asano, O. Muzik, A. Shah, C. Juhász, D.C. Chugani, K. Kagawa, K. Benedek, S. Sood, J. Gotman, H.T. Chugani (USA, Canada) 2718
Seizure incidence during single- and paired-pulse transcranial magnetic stimulation (TMS) in individuals with epilepsy
L.M. Schrader, J.M. Stern, L. Koski, M.R. Nuwer, J. Engel Jr. (USA) 2728
EEG dipole source localisation of interictal spikes acquired during routine clinical video-EEG monitoring
S. Meckes-Ferber, A. Roten, C. Kilpatrick, T.J. O'Brien (Australia) 2738
Classifying EEG-based motor imagery tasks by means of time–frequency synthesized spatial patterns
T. Wang, J. Deng, B. He (USA) 2744
The use of QSD (q-sequence deconvolution) to recover superposed, transient evoked-responses
D.L. Jewett, G. Caplovitz, B. Baird, M. Trumpis, M.P. Olson, L.J. Larson-Prior (USA) 2754
Repetitive nerve stimulation in myasthenia gravis—relative sensitivity of different muscles
J. Costa, T. Evangelista, I. Conceição, M. de Carvalho (Portugal) 2776
Does retrograde axonal atrophy really occur in carpal tunnel syndrome patients with normal forearm conduction velocity?
M.-H. Chang, L.-H. Liu, S.-J. Wei, H.-L. Chiang, P.F. Hsieh (Taiwan, ROC) 2783
Modulation of ankle muscle postural reflexes in stroke: influence of weight-bearing load
D.S. Marigold, J.J. Eng, J.T. Inglis (Canada) 2789
Expansion of nociceptive withdrawal reflex receptive fields in spinal cord injured humans
O.K. Andersen, N.B. Finnerup, E.G. Spaich, T.S. Jensen, L. Arendt-Nielsen (Denmark) 2798
Modeling the relationship between psychophysical perception and electrically evoked compound action potential threshold in young cochlear implant recipients: clinical implications for implant fitting
H. Thai-Van, E. Truy, B. Charasse, F. Boutitie, J.-M. Chanal, N. Cochard, J.-P. Piron, S. Ribas, O. Deguine, B. Fraysse, M. Mondain, A. Uziel, L. Collet (France) 2811
Effects of total sleep-deprivation on waking human EEG: functional cluster analysis
S.-H. Jin, S.H. Na, S.Y. Kim, D.-J. Kim (South Korea) 2825

Letters to the Editor
Evoked potentials in brain death
C. Machado (Cuba) 238
Assessing somatosensory evoked potential (SEP) generators by human intracranial recordings
C. Barba, M. Valeriani (Italy) 488
Reply
P. Kaňovský, M. Bareš, I. Rektor (Czech Republic) 489
Seizure induced by fast repetitive transcranial magnetic stimulation
M. Bernabeu, F. Orient, J.M. Tormos, A. Pascual-Leone (Spain, USA) 1714
Triple stimulation technique (TST) in amyotrophic lateral sclerosis
K.M. Rösler, M.R. Magistris (Switzerland) 1715
BP and CNV
B.K. Dimitrov (Bulgaria) 2193
Reply
G. Dirnberger (Austria) 2193
Some remarks on the use of motion VEPs to assess magnocellular sensitivity
B.C. Skottun, J.R. Skoyles (USA, UK) 2834
The role of the magnocellular pathway in dyslexia—reply to Skottun and Skoyles
G. Schulte-Körne, H. Remschmidt, P. Scheuerpflug, A. Warnke (Germany) 2836

Book Reviews
Psychiatry as a Neuroscience — J.J. López-Ibor, W. Gaebel, M. Maj, N. Sartorius (Eds.)
J. Blanch, J. Valls-Solé (Spain) 240
Principles of Frontal Lobe Function — D.T. Stuss, R.T. Knight (Eds.)
S. Funahashi (Japan) 242
Assessment of Aphasia — O. Spreen, A.H. Risser (Eds.)
J.K. Gordon (USA) 242
Behavioral Neurology — J.H. Pincus, G.J. Tucker (Eds.)
J.L. Molinuevo (Spain) 244
Companion to Clinical Neurology — W. Pryse-Phillips. (Ed.)
E. Tolosa, J. Valls-Solé (Spain) 490
Vestibular Disorders. A Case Study Approach — J.M. Furman, S.P. Cass (Eds.)
M. Dieterich (Germany) 721
The Bereitschaftspotential: Movement-Related Cortical Potentials — M. Jahanshahi, M. Hallett (Eds.)
J.G. Colebatch (Australia) 721
Clinical Neuropsychology — K.M. Heilman, E. Valenstein (Eds.)
J. Artieda (Spain) 723
The Sounds of EMG – CD by J. Daube and D. Rubin (Prod Nicholet, Viasys, Healthcare)
E. Stålberg (Sweden) 1233
Motor unit number estimation (MUNE): Proceedings of the First International Symposium on MUNE, Snowbird, UT, USA — M.B. Bromberg (Ed.)
K.J. Felice (USA) 1486
Delirium in old age — J. Lindesay, K. Rockwood, A. Macdonald (Eds.)
J.M. Bostwick (USA) 1486
The clinical science of neurologic rehabilitation
M.P. Barnes (UK) 1709
The cerebellum and its disorders
S.M. Highstein (USA) 1709
Cerebrovascular ultrasound. Theory, practice and future developments
V. Obach, Á. Chamorro (Spain) 1710
Detection of change: event-related potential and fMRI findings
F. Barcelo (Spain) 1711
Clinical Neurophysiology, Volume II: EEG, Paediatric Neurophysiology, Special Techniques and Applications
A.W. de Weerd (The Netherlands) 1942
The Brain's Alpha Rhythms and the Mind
A.A. Fingelkurts, A.A. Fingelkurts (Finland) 1943
Transcranial magnetic stimulation and transcranial direct current stimulation. Proceedings of the 2nd International Magnetic Stimulation (TMS) and Transcranial Direct Current Stimulation (tDCS) Symposium, Göttingen, Germany, 11–14 June 2003. W. Supplement 56 to *Clinical Neurophysiology*
J.P. Brasil-Neto (Brazil) 1945
The central nervous system. Structure and function, 3rd edition
J. Valls-Solé (Spain) 2424
Plasticity in the human nervous system
C. Gerloff (Germany) 2425
Duchenne Muscular Dystrophy
J. Casademont (Spain) 2426
Sleep Physiology, Investigations and Medicine
M. Bhatt (USA) 2666

Society Proceedings
Eastern Association of Electroencephalographers, 56th Annual Meeting: 'Ski Meeting, 2002' 247
Eastern Association of Electroencephalographers, 57th Annual Meeting 249
10th Biennial Clinical Neurophysiology Workshop of the Australian Association of Neurologists, 6–8 October 2003 990
50th Congress of the Czech and Slovak Society of Clinical Neurophysiology 1949
Eastern Association of Electroencephalographers, 58th Annual Meeting: 'Ski meeting 2004', Québec, Canada, February 20, 2004 2427
Annual Meeting of the Swiss Society of Clinical Neurophysiology Basel, Switzerland 22–24 April 2004
doi:10.1016/j.clinph.2004.08.019 e1
Annual Meeting of the American Association of Electrodiagnostic Medicine, Savannah, Georgia 3–6 November 2004
doi:10.1016/j.clinph.2004.08.018 e5

Meeting Report 252
Meeting Report 492
Meeting Report 725

Acknowledgement to reviewers 2839

Index of Authors to Volume 115 2840
Index of Subjects to Volume 115 2860
Table of Contents to Volume 115 2899

ℯ This article does not appear in the printed product, it is available in the online version of this issue.